




KOVAX[®]
CATALOGUE 2024



トルブロック S
KOVAX®



Fast

Our solutions provide you the means to work as efficient as possible.



Safe

You are always in control with our dry sanding system.



Easy

The Kovax sanding system has a solution for every problem.

The Story of Perfection. Our Story.

Because of our Japanese roots, aiming for the highest quality is in our DNA. We pursue this both at product level and in customer support. Our urge for perfection is embedded into Japanese culture, where perfection is symbolized by a circle. This so-called Ensō has been represented in Japan since living memory as an expression of perfection. Because the Ensō is an important and meaningful symbol with which Kovax strongly identifies, the circle is a recurring element in our design. Also, in Japanese Kanji script, Ensō literally means 'circle of togetherness'. Meaning maintaining harmonious collaborations with relations.

This vision is fully in line with the philosophy of Kovax. We create perfection in our ultra-modern factories, where we combine the latest (production) technologies with our 90 years of experience in developing and producing sanding solutions. The result is a complete sanding line that enables

dry sanding until the finest grit. Thanks to the highly uniform end result, you can truly differentiate yourself and, at the same time, significantly reduce your labor time. But we go even further! Our need for perfection also means that we think ahead: How can we make tomorrow's work even easier and more efficient for you? Or, what sanding solution can we offer you for new application fields, materials, etc.? We therefore regularly introduce innovative products that are completely new world-wide.

But above all, we strive for perfection by creating harmonious relationships with our customers. Personal contact, loyalty and short lines of communication. Connecting with each other.

That is the strength of Kovax. That is our Story of Perfection!

45
countries

The Kovax Family

One of the basic principles of Japanese culture is loyalty. This was already practiced by the Japanese samurai warriors. Kovax is also a strong supporter: in all our relations we aim for long-term cooperation based on mutual respect and trust.

Meanwhile, our partner network consists of partners from 45 countries. Together we cooperate, share knowledge and our partners mutually respect each other's markets. As a result, we create new business opportunities, increase each other's success and realise continuity. A stable future, especially in changing market conditions.

Together we are strong and can meet any challenge. We are the Kovax family!

ICONS

Discover, by means of the icons, the right Kovax solutions for each application. At a single glance you see which products are suitable for which applications.

APPLICATION



METAL SANDING



REMOVING OLD LAYERS



PUTTY SANDING



PRIMER SANDING



BLENDING



REMOVING IMPERFECTIONS



FINISHING



WATERPROOF

TIPS



PRODUCT TIPS



PRACTICAL TIPS

ADHESION



SUPER TACK



STICK-ON

4

DISCOVER

New products	4
Top products	10

14

MACHINE SANDING

Maxcut	14
Tri-Pro	16
Premium	18
 Maxfilm	20
Magic Disc	22

23

MANUAL SANDING

Maxcut	23
Maxfilm	24
Kofle-X	26
Foam-X rolls	26
Highflex	27
Doubleflex	27
Sanding Block	27
Sheets without adhesion	28
Waterproof	29

30

SUPER ASSILEX

Super Assilex discs	30
Super Assilex pads	31
Super Assilex sheets & accessories	32

36

FINISHING

Yellow Film	36
 Tolecut	38
Tolex	40
Buflex Dry	42
Buflex Wet	44
Assilex Stick-On & accessories	45
 Buflex Shine	46
 Polish material	48
Car Care	50

52

TOOLS & OTHER

Tools	52
ProMa-X	54
EMa-X	58
 ChargeMa-X	59
 Back-up pads & adapters	62
Interface pads	67
 Accessories	68
Handblocks	72
Pro-Mate Workstation	74
Pro-Xpose	77
Tolekit	77

DISCOVER OUR NEW PRODUCTS:

CHARGEMA-X SANDERS



CHARGEMA-X 31/3RO
CORDLESS RANDOM ORBITAL TOUCH-UP SANDER
 910-0780 | Page 60



CHARGEMA-X 31/30
CORDLESS ORBITAL TOUCH-UP SANDER
 910-0790 | Page 60



CHARGEMA-X
BATTERY CHARGER - 10.8 V
 912-0020 | Page 60



CHARGEMA-X
BATTERY PACK 2,5 AH - 10.8 V
 912-0060 | Page 60



TOLECUT K800
34 MM
 192-1516 | Page 39



TOLECUT K1200
34 MM
 192-1515 | Page 39



**CHARGEMA-X 31/3RO
KIT**
999-8820 | Page 61



**CHARGEMA-X 31/30
KIT**
999-8821 | Page 61

DISCOVER OUR NEW PRODUCTS:

TAPES



PREMIUM PROTECTION TAPE
50 MM X 50 M
910-5050 | Page 70



FLEXI NO EDGE BLENDING TAPE
15 MM X 25 M
900-1525 | Page 71



MASKING TAPE
18 MM X 50 M
900-6018 | Page 70



MASKING TAPE
24 MM X 50 M
900-6024 | Page 70



MASKING TAPE
36 MM X 50 M
900-6036 | Page 70



MASKING TAPE
48 MM X 50 M
900-6048 | Page 70



THE PERFECT SHINE IN NO TIME



BUFLEX SHINE :
SCAN THE QR-CODE
FOR MORE INFORMATION



Discover the complete polishing system on page 46



NEW

PREMIUM WOOL PAD | 160 MM
858-6733 | Page 47



NEW

SYSTEM ORGANIZER BAG
999-9904 | Page 71



NEW




MICROFIBER CLOTH BLACK
851-4165 | Page 68

IMPROVED



CLEANING CLAY BLUE
858-8310 | Page 48

TOP PRODUCTS



MAXCUT

P60 - P180

*THE NUMBER 1 SOLUTION WHEN
SANDING HARD PUTTY AND METAL.*



ADVANTAGES MAXCUT

The Maxcut products have specially hardened Aluminium Oxide grains, which score a 9.8 on Mohs scale of mineral hardness. Compared to the hardest mineral, which is industrially produced diamond with a score of 10, this is nearly the hardest existing mineral and thus perfectly suited for extremely hard sanding work. Thanks to its open structure clogging will be prevented.

203 MM



152 MM



125 MM



70 x 402 MM




115 x 225 MM



70 x 198 MM



70 x 127 MM



MAXFILM

P60 - P600

*MAXFILM STANDS FOR MAXIMUM
DURABILITY FOR ALL YOUR
SANDING WORK, FROM SANDING
BARE METAL TO SANDING PRIMER.*



ADVANTAGES MAXFILM

The film backing of Maxfilm allows a more direct contact with the sanding surface and prevents the grains to drop into the backing. In combination with its double anti-clogging coating this results in a significantly longer lifetime. The printed P-value on top of the disc ensures maximum ease of use.

152 MM



125 MM



77 MM



70 x 402 MM



115 x 225 MM



70 x 198 MM



70 x 127 MM





SUPER ASSILEX

K240 - K1500

THE UNIQUE WAY OF DRY SANDING, UNIFORMITY AND FLEXIBILITY THAT AMAZE.



ADVANTAGES SUPER ASSILEX

The innovative latex backing and the unique grain structure result in extremely uniform and shallow scratches. The products of Super Assilex are supporting you during your daily sanding jobs due to Super Assilex'outstanding cutting performance and speed. This results in more efficiency. Super Assilex prevents potential problems in the rest of the sanding process.

152 MM




125 MM



75 MM



130 x 170 MM



MAGIC DISC

320 - 500

SPECIALLY DEVELOPED SANDING DISC FOR E-COAT AND VERY HARD, MATT CLEAR COAT SANDING.



ADVANTAGES MAGIC DISC

The Magic Disc with its film backing, the new developed diamond grain and the new generation 2.0 anti-clogging coating, has an unbelievable long lifetime on hard coatings. High aggressiveness comes together with very uniform scratches.


152 MM



USE **SPY SPRAY** OR
DRY GUIDE COAT
WHEN SANDING PUTTY
AND PRIMER.

PAGE 68

USE 5 OR 6 MM
ORBIT FOR ALL OUR
PRODUCTS.



YELLOW FILM



P800 - P2000

THE NUMBER 1 SOLUTION FOR BLENDING ZONES, WITH A GUARANTEED PERFECTLY, NON-VISIBLE TRANSITION FROM OLD TO NEW CLEAR COAT.



ADVANTAGES YELLOW FILM

The film backing in combination with an anti-burning coating allows a cool sanding process. Consequently, burning spots can be brought to a minimum and the risk of deep scratches is reduced significantly. Yellow Film is ideal for top coat sanding, removal of imperfections and removal of orange peel structure. The main markets of Yellow Film are the automotive sector and the wood industry.



TOLECUT


K800 - K3000

THE WORLD CHAMPION WHEN IT COMES TO DRY IMPERFECTION REMOVAL.



ADVANTAGES TOLECUT

Tolecute is a dry sanding system. Without the use of water it is always possible to see how far the imperfection has been removed. Because of the constant visible result, the risk to sand through the topcoat is reduced to a minimum. Tolecute is unique in its cutting power and due to its flexibility it is also suitable for concave and convex areas. The ease of use makes it a must have for every dent professional.





BUFLEX DRY

K2000 - K3000

*THE FINEST ABRASIVE FOR
MAXIMUM POLISH TIME
REDUCTION.*



ADVANTAGES BUFLEX DRY

The ultra flexible, innovative latex backing with a unique grain structure ensures extremely uniform scratches. The especially developed female-female velcro ensures process safety and prevents scratches caused by hard velcro. Buflex Dry retains the coating structure.

152 MM



125 MM



75 MM




130 x 170 MM



MAXCUT


MAXCUT SUPER TACK DISCS 203 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
583-0060	P60	  	50	300
583-0080	P80	  	50	300
583-0120	P120	  	50	300



MAXCUT SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
569-0060	P60	  	50	400
569-0080	P80	  	50	400
569-0120	P120	  	50	400
569-0180	P180		50	600



MAXCUT SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
563-0060	P60	  	50	400
563-0080	P80	  	50	400
563-0120	P120	  	50	400
563-0180	P180		50	600



MAXCUT SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
562-0060	P60	  	50	400
562-0080	P80	  	50	400
562-0120	P120	  	50	400
562-0180	P180		50	600




 GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.

 USE MAXCUT WITH LOW MACHINE SPEED FOR MAXIMUM PERFORMANCE.
IDEAL FOR SANDING OLD COATINGS, PUTTY, BARE METAL & HARDWOOD LIKE BEECH OR WALNUT.

**MAXCUT SUPER TACK DISCS
125 MM - 7 HOLES**

Art. No.	Grit	Application	Box	Carton
553-0080	P80	  	50	400
553-0120	P120	  	50	400




**MAXCUT SUPER TACK DISCS
125 MM - WITHOUT HOLES**

Art. No.	Grit	Application	Box	Carton
552-0060	P60	  	50	400
552-0080	P80	  	50	400
552-0120	P120	  	50	400
552-0180	P180		50	600



 GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.




TRI-PRO

TRI-PRO SUPER TACK DISCS 152 MM - 15 HOLES

MACHINE SANDING

Art. No.	Grit	Application	Box	Carton
527-0040	P40		50	600
527-0060	P60		100	800
527-0080	P80		100	800
527-0100	P100		100	800
527-0120	P120		100	1200
527-0150	P150		100	1200
527-0180	P180		100	1200
527-0220	P220		100	1200
527-0240	P240		100	1200
527-0280	P280		100	1200
527-0320	P320		100	1200
527-0360	P360		100	1200
527-0400	P400		100	1200
527-0500	P500		100	1200
527-0600	P600		100	1200



TRI-PRO SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
525-0060	P60		100	800
525-0080	P80		100	800
525-0100	P100		100	800
525-0120	P120		100	1200
525-0150	P150		100	1200
525-0180	P180		100	1200
525-0220	P220		100	1200
525-0240	P240		100	1200
525-0280	P280		100	1200
525-0320	P320		100	1200
525-0360	P360		100	1200
525-0400	P400		100	1200
525-0500	P500		100	1200
525-0600	P600		100	1200



USE **SPY SPRAY** OR
DRY GUIDE COAT
WHEN SANDING
PUTTY AND PRIMER.

PAGE 68



TRI-PRO SUPER TACK DISCS 125 MM - 8 HOLES

Art. No.	Grit	Application	Box	Carton
557-0060	P60	  	100	800
557-0080	P80	  	100	800
557-0100	P100	  	100	800
557-0120	P120	 	100	1200
557-0150	P150		100	1200
557-0180	P180		100	1200
557-0220	P220		100	1200
557-0240	P240	 	100	1200
557-0280	P280	 	100	1200
557-0320	P320	 	100	1200
557-0360	P360	 	100	1200
557-0400	P400	 	100	1200
557-0500	P500	 	100	1200
557-0600	P600	 	100	1200

 USE IN COMBINATION WITH BACK-UP PAD **885-0169** AND WHEN NEEDED USE INTERFACE PAD **885-0712**.




TRI-PRO SUPER TACK DISCS 125 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
514-0060	P60	  	100	800
514-0080	P80	  	100	800
514-0100	P100	  	100	800
514-0120	P120	 	100	1200
514-0150	P150		100	1200
514-0180	P180		100	1200
514-0220	P220		100	1200
514-0240	P240	 	100	1200
514-0280	P280	 	100	1200
514-0320	P320	 	100	1200
514-0360	P360	 	100	1200
514-0400	P400	 	100	1200
514-0500	P500	 	100	1200
514-0600	P600	 	100	1200

 USE IN COMBINATION WITH BACK-UP PAD **885-0169** AND WHEN NEEDED USE INTERFACE PAD **885-0712**.



TRI-PRO BACK-UP PAD 125 MM - 8 HOLES



Art. No.	Thread size	Box
885-0169	5/16"	1

TRI-PRO INTERFACE PAD 125 MM - 8 HOLES




Art. No.	Box
885-0712	2

PREMIUM

PREMIUM SUPER TACK DISCS 203 MM - 8 HOLES


MACHINE SANDING

Art. No.	Grit	Application	Box	Carton
786-0180	P180		50	300
786-0240	P240		50	300
786-0320	P320		50	300




PREMIUM SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
568-0060	P60		50	400
568-0080	P80		50	400
568-0120	P120		50	400
568-0150	P150		50	600
568-0180	P180		50	600
568-0220	P220		50	600
568-0240	P240		50	600
568-0280	P280		50	600
568-0320	P320		50	600
568-0360	P360		50	600
568-0400	P400		50	600
568-0500	P500		50	600
568-0600	P600		50	600



PREMIUM SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
566-0060	P60		50	400
566-0080	P80		50	400
566-0120	P120		50	400
566-0150	P150		50	600
566-0180	P180		50	600
566-0220	P220		50	600
566-0240	P240		50	600
566-0280	P280		50	600
566-0320	P320		50	600
566-0360	P360		50	600
566-0400	P400		50	600
566-0500	P500		50	600
566-0600	P600		50	600



PREMIUM SUPER TACK DISCS
152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
565-0080	P80	  	50	400
565-0120	P120	  	50	400
565-0180	P180		50	600
565-0220	P220		50	600
565-0240	P240	 	50	600
565-0320	P320		50	600
565-0400	P400		50	600
565-0500	P500		50	600
565-0600	P600		50	600




MAXFILM

MAXFILM SUPER TACK DISCS 152 MM - MULTIHOLE


MACHINE SANDING

Art. No.	Grit	Application	Box	Carton
523-9080	P80		50	600
523-9120	P120		50	600
523-9150	P150		50	600
523-9180	P180		50	600
523-9220	P220		50	600
523-9240	P240		50	600
523-9280	P280		50	600
523-9320	P320		50	600
523-9360	P360		50	600
523-9400	P400		50	600
523-9500	P500		50	600
523-9600	P600		50	600



MAXFILM SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
523-0060	P60		50	600
523-0080	P80		50	600
523-0120	P120		50	600
523-0150	P150		50	600
523-0180	P180		50	600
523-0220	P220		50	600
523-0240	P240		50	600
523-0280	P280		50	600
523-0320	P320		50	600
523-0360	P360		50	600
523-0400	P400		50	600
523-0500	P500		50	600
523-0600	P600		50	600



MAXFILM SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
520-0080	P80		50	600
520-0120	P120		50	600
520-0150	P150		50	600
520-0180	P180		50	600
520-0220	P220		50	600
520-0240	P240		50	600
520-0280	P280		50	600
520-0320	P320		50	600
520-0360	P360		50	600
520-0400	P400		50	600
520-0500	P500		50	600
520-0600	P600		50	600



MAXFILM SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
521-0120	P120		50	600
521-0150	P150		50	600
521-0180	P180		50	600
521-0220	P220		50	600
521-0240	P240		50	600
521-0280	P280		50	600
521-0320	P320		50	600
521-0360	P360		50	600
521-0400	P400		50	600
521-0500	P500		50	600
521-0600	P600		50	600



MAXFILM SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
513-0120	P120		50	600
513-0150	P150		50	600
513-0180	P180		50	600
513-0220	P220		50	600
513-0240	P240		50	600
513-0320	P320		50	600
513-0400	P400		50	600
513-0500	P500		50	600
513-0600	P600		50	600



MAXFILM SUPER TACK DISCS 77 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
523-8080	P80		50	1800
523-8100	P100		50	1800
523-8120	P120		50	1800
523-8150	P150		50	1800
523-8180	P180		50	1800
523-8220	P220		50	1800
523-8240	P240		50	1800
523-8280	P280		50	1800
523-8320	P320		50	1800
523-8360	P360		50	1800
523-8400	P400		50	1800
523-8500	P500		50	1800
523-8600	P600		50	1800



MAXFILM SUPER TACK DISCS 77 MM - WITHOUT HOLES


Art. No.	Grit	Application	Box	Carton
 520-8060	P60		50	1800
520-8080	P80		50	1800
520-8100	P100		50	1800
520-8120	P120		50	1800
520-8150	P150		50	1800
520-8180	P180		50	1800
520-8220	P220		50	1800
520-8240	P240		50	1800
520-8280	P280		50	1800
520-8320	P320		50	1800
520-8360	P360		50	1800
520-8400	P400		50	1800
520-8500	P500		50	1800
520-8600	P600		50	1800



MAGIC DISC

MAGIC DISC SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
528-0320	320		10	200
528-0400	400		10	200
528-0500	500		10	200



USE THE MAGIC DISC 320 & 400 TO PREPARE E-COAT SURFACES. USE MAGIC DISC 500 TO PREPARE MATT AND SCRATCH-RESISTANT CLEAR COATS BEFORE REPAINTING.





USE IN COMBINATION WITH THE HARD SUPER ASSILEX INTERFACE PAD (**971-0057**) (PAGE 31) FOR EASIER USE ON CONVEX AND CONCAVE PARTS.

MAXCUT

MAXCUT SUPER TACK SHEETS 70 X 198 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
704-0060	P60	  	50	1200
704-0080	P80	  	50	1200
704-0120	P120	  	50	1200
704-0180	P180		50	1200



MAXCUT SUPER TACK SHEETS 70 X 402 MM - 14 HOLES


Art. No.	Grit	Application	Box	Carton
799-9060	P60	  	50	800
799-9080	P80	  	50	800
799-9120	P120	  	50	800
799-9180	P180		50	800



MANUAL SANDING


MAXCUT SUPER TACK SHEETS 115 X 230 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
708-0060	P60	  	50	500
708-0080	P80	  	50	500
708-0120	P120	  	50	500
708-0180	P180		50	500



MAXCUT SUPER TACK SHEETS 70 X 126 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
702-0060	P60	  	50	1800
702-0080	P80	  	50	1800
702-0120	P120	  	50	1800
702-0180	P180		50	1800



SAND CROSSWISE TO AVOID DEEP SANDING SCRATCHES.
LOOK ON PAGE 72 FOR ALL OUR HANDBLOCKS.

MAXFILM

MAXFILM SUPER TACK SHEETS 70 X 198 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
703-0080	P80		50	1600
703-0120	P120		50	1600
703-0180	P180		50	1600
703-0240	P240		50	1600
703-0320	P320		50	1600
703-0400	P400		50	1600



MANUAL SANDING

MAXFILM SUPER TACK SHEETS 70 X 402 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
705-0080	P80		50	800
705-0120	P120		50	800
705-0180	P180		50	800
705-0240	P240		50	800
705-0320	P320		50	800
705-0400	P400		50	800



MAXFILM SUPER TACK SHEETS 115 X 230 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
707-0080	P80		50	1000
707-0120	P120		50	1000
707-0180	P180		50	1000
707-0240	P240		50	1000
707-0320	P320		50	1000
707-0400	P400		50	1000



MAXFILM SUPER TACK SHEETS 70 X 126 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
701-0080	P80		50	2400
701-0120	P120		50	2400
701-0180	P180		50	2400
701-0240	P240		50	2400
701-0320	P320		50	2400
701-0400	P400		50	2400





KOFLE-X SLIM HAND PADS 115 X 230 MM

Art. No.	Color	Grit	Application	Box
900-7950	Red	Very Fine		25
900-7951	Grey	Ultra Fine		25

- FLEXIBLE MATERIAL FOR HARD-TO-REACH SPOTS. SCUFFING ALTERNATIVE FOR SUPER ASSILEX.
- USE MATTING PASTE FINE **852-0260** FOR FASTER AND EASIER SCUFFING. ECONOMIC CHOICE



KOFLE-X PERFORMANCE HAND PADS 115 X 230 MM

Art. No.	Color	Grit	Application	Box
900-7952	Red	Very Fine		20
900-7953	Grey	Ultra Fine		20

- THICKER & MORE AGGRESSIVE. SCUFFING ALTERNATIVE FOR SUPER ASSILEX.
- USE MATTING PASTE FINE **852-0260** FOR FASTER AND EASIER SCUFFING. ECONOMIC CHOICE



KOFLE-X PERFORMANCE ROLLS 115 MM X 10 M

Art. No.	Color	Grit	Application	Box
900-7954	Red	Very Fine		1
900-7955	Grey	Ultra Fine		1

- SCUFFING ALTERNATIVE FOR SUPER ASSILEX.
- USE MATTING PASTE FINE **852-0260** FOR FASTER AND EASIER SCUFFING. ECONOMIC CHOICE



MATTING PASTE FINE - WATERBASE 1 L

Art. No.
852-0260

- THE COMBINATION OF MATTING PASTE AND KOFLE-X OFFERS A MORE UNIFORM SANDING RESULT AND ENABLES A SIGNIFICANT REDUCTION OF COUNTER-PRESSURE DURING SANDING.



FOAM-X ROLLS 115 MM X 25 M

Art. No.	Grit	Application	Box
KFX-0180	P180		1
KFX-0240	P240		1
KFX-0320	P320		1
KFX-0400	P400		1
KFX-0500	P500		1
KFX-0600	P600		1
KFX-0800	P800		1

- SANDING ALTERNATIVE FOR SUPER ASSILEX. ECONOMIC CHOICE



HIGHFLEX SOFTPADS 115 X 140 X 6 MM

Art. No.	Grit	Application	Box
HFX-MEDIUM-20	Medium		20
HFX-FINE-20	Fine		20
HFX-SUPERFINE-20	Super Fine		20
HFX-ULTRAFINE-20	Ultra Fine		20
HFX-MICROFINE-20	Micro Fine		20



SANDING ALTERNATIVE FOR SUPER ASSILEX.

ECONOMIC CHOICE

HIGHFLEX SOFTPADS 115 X 140 X 6 MM

Art. No.	Grit	Application	Box
HFX-MEDIUM	Medium		100
HFX-FINE	Fine		100
HFX-SUPERFINE	Super Fine		100
HFX-ULTRAFINE	Ultra Fine		100
HFX-MICROFINE	Micro Fine		100



SANDING ALTERNATIVE FOR SUPER ASSILEX.

ECONOMIC CHOICE

DOUBLEFLEX SOFTPADS 123 X 98 X 13 MM

Art. No.	Grit	Application	Box
901-0010	Grey Medium		100
901-0020	Red Fine		100
901-0030	Blue Super Fine		100
901-0040	Green Ultra Fine		100
901-0050	Beige Micro Fine		100



DUE TO ITS FLEXIBLE POLYURETHANE FOAM, DOUBLEFLEX ADAPTS EASILY TO THE CONTOURS OF THE SURFACE.

ECONOMIC CHOICE

SANDING BLOCK 4 SIDED 100 X 68 X 25 MM

Art. No.	Grit	Application	Box
902-0010	Medium		250
902-0020	Fine		250
902-0030	Super Fine		250
902-0040	Ultra Fine		250



IDEAL FOR WOODWORKING. MAKES IT POSSIBLE TO PROCESS CORNERS, EDGES AND RIGHT ANGLES.

ECONOMIC CHOICE

ANGLED SANDING BLOCK 4 SIDED 115 X 90 X 68 X 25 MM

Art. No.	Grit	Application	Box
902-0015	Medium		100
902-0025	Fine		100
902-0035	Super Fine		100
902-0045	Ultra Fine		100



IDEAL FOR WOODWORKING. MAKES IT POSSIBLE TO SAND RIGHT ANGLES WHEN ONLY ONE SIDE SHOULD BE SANDED



ECONOMIC CHOICE

MANUAL SANDING

SHEETS - WITHOUT ADHESION 115 X 280 MM

Art. No.	Grit	Application	Box	Carton
220-0040	P40		100	800
221-0060	P60		100	800
221-0080	P80		100	1000
221-0100	P100		100	1000
221-0120	P120		100	1000
224-0150	P150		100	2000
224-0180	P180		100	2000
224-0220	P220		100	2000
224-0240	P240		100	2000
224-0280	P280		100	2000
224-0320	P320		100	2000
224-0360	P360		100	2000
224-0400	P400		100	2000



WATERPROOF BLACK - SILICON CARBIDE 230 X 280 MM



Art. No.	Grit	Application	Box	Carton
101-0060	P60	⊙	50	500
101-0080	P80	⊙	50	500
101-0100	P100	⊙	50	500
101-0120	P120	⊙	50	500
102-0150	P150	⊙	50	1000
102-0180	P180	⊙	50	1000
102-0220	P220	⊙	50	1000
102-0240	P240	⊙ ↗	50	1000
102-0280	P280	↗	50	1000
102-0320	P320	↗	50	1000
102-0360	P360	↗	50	1000
102-0400	P400	↗	50	1000
102-0500	P500	↗	50	1000
102-0600	P600	↗	50	1000
102-0800	P800	↗ ↘	50	1000
102-1000	P1000	↗ ↘	50	1000
102-1200	P1200	↗ ↘	50	1000
102-1500	P1500	↘	50	1000
102-2000	P2000	↘	50	1000



MANUAL SANDING



CAN BE USED WITH THE CANDYBLOCK 971-0001.

WATERPROOF BROWN - ALUMINIUM OXIDE 230 X 280 MM



Art. No.	Grit	Application	Box	Carton
105-0180	P180	⊙	50	1000
105-0220	P220	⊙	50	1000
105-0240	P240	⊙ ↗	50	1000
105-0280	P280	↗	50	1000
105-0320	P320	↗	50	1000
105-0400	P400	↗	50	1000
105-0600	P600	↗	50	1000
105-0800	P800	↗ ↘	50	1000
105-1000	P1000	↗ ↘	50	1000
105-1200	P1200	↗ ↘	50	1000



CAN BE USED WITH THE CANDYBLOCK 971-0001.

CANDYBLOCK 140 X 70 MM & 45 X 70 MM


Art. No.
971-0001



SUPER ASSILEX DISCS

SUPER ASSILEX SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
193-2537	K240*		25	1000
193-2535	K320*		25	1000
193-1575	K360*		25	1000
193-2533	K400*		25	1000
193-2532	K500*		25	1000
193-1578	K600*		25	1000
193-1579	K800*		25	1000
193-2527	K1000*		25	1000
193-1580	K1200*		25	1000
193-2525	K1500		25	1000




* FOR ECONOMIC ALTERNATIVES FOR SCUFFING & SANDING GO TO PAGE 26 & 27.



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS. USE MICRO VELCRO INTERFACE PAD **971-0057** (HARD) TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS AND USE INTERFACE PAD **971-0091** (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

SUPER ASSILEX SUPER TACK DISCS 152 MM - 7 HOLES


Art. No.	Grit	Application	Box	Carton
193-1538	K600*		25	1000
193-1539	K800*		25	1000
193-1540	K1200*		25	1000



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS. USE MICRO VELCRO INTERFACE PAD **971-0049** (HARD) TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS AND USE INTERFACE PAD **971-0039** (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

SUPER ASSILEX SUPER TACK DISCS 125 MM - 7 HOLES


Art. No.	Grit	Application	Box	Carton
195-1538	K600*		25	1000
195-1539	K800*		25	1000
195-1540	K1200*		25	1000



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS. USE IN COMBINATION WITH BACK-UP PAD **972-0003** (PAGE 64) AND INTERFACE PAD **971-0044** (PAGE 67).

SUPER ASSILEX SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-2510	K600*		50	1800
730-2508	K800*		50	1800
730-2507	K1200*		50	1800
730-2505	K1500*		50	1800



INCLUDING INTERFACE PAD **971-7503** (PAGE 67).



ALSO IDEAL FOR SANDING SOLID MINERAL SURFACES (K320, K360, K400, K500, K600) AND SANDING OLD COATINGS IN THE WOOD BRANCH (K240, K320).

SUPER ASSILEX PADS

SUPER ASSILEX BACK-UP PAD - **HARD** 150 MM - 15 HOLES

Art. No.	Thread Size	Box
885-0163	5/16"	1



SUPER ASSILEX SUPER TACK INTERFACE PAD - **HARD** 150 MM - 15 HOLES



SUPER ASSILEX SUPER TACK INTERFACE PAD - **HARD** 150 MM - 7 HOLES




Art. No.		Box
971-0057	MICRO VELCRO	2

 USE THE HARD INTERFACE PADS TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS.


Art. No.		Box
971-0049	MICRO VELCRO	2

 USE THE HARD INTERFACE PADS TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS.

SUPER ASSILEX SUPER TACK INTERFACE PAD - **SOFT** 150 MM - 15 HOLES



SUPER ASSILEX SUPER TACK INTERFACE PAD - **SOFT** 150 MM - 7 HOLES



Art. No.		Box
971-0091	MICRO VELCRO	2

 USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

Art. No.		Box
971-0039	MICRO VELCRO	2

 USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.


 USE MICRO VELCRO INTERFACE PADS FOR SUPER ASSILEX DISCS TO AVOID SANDING SCRATCHES CAUSED BY TOO COARSE VELCRO.

SUPER ASSILEX

SUPER ASSILEX SHEETS & ACCESSORIES

SUPER ASSILEX SUPER TACK SHEETS 130 X 170 MM

Art. No.	Grit	Application	Box	Carton
191-2517	K240*		25	500
191-2515	K320*		25	500
191-1515	K360*		25	500
191-2513	K400*		25	500
191-2512	K500*		25	500
191-1508	K600*		25	500
191-1509	K800*		25	500
191-2507	K1000*		25	500
191-1510	K1200*		25	500
191-2505	K1500		25	500



WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM.
*SEE PAGE 30 FOR PRODUCT TIP.


SUPER ASSILEX

SUPER ASSILEX SUPER TACK HAND PADS

Art. No.			Box
971-0026	HAND PAD L	97 x 150 MM	2
971-0025	HAND PAD M	75 x 120 MM	4
971-0094	HAND PAD M - Hard	75 x 120 MM	4

HAND PAD L & M **971-0026**, **971-0025** HAVE TWO CORNERS WITHOUT VELCRO, SO THE SHEET CAN EASILY BE PEELED OFF WITHOUT DAMAGING THE PAD.

USE SUPER ASSILEX SUPER TACK HAND PAD M - HARD **971-0094** ONLY IN COMBINATION WITH SUPER ASSILEX K240 SHEETS 130 X 85 MM.



SUPER ASSILEX INTERFACE PAD 75 X 120 MM

Art. No.	Box
971-0035	4

USE IN COMBINATION WITH ASSILEX/BUFLEX SANDER KO-202 **910-0202** (PAGE 53) OR PROMA-X AIR ASSILEX / BUFLEX SANDER **910-0660** (PAGE 55).



**SUPER ASSILEX HANDBLOCK & INTERFACE PAD - LARGE
120 X 160 MM**



**SUPER ASSILEX HANDBLOCK & INTERFACE PAD - SMALL
72 X 125 MM**



Art. No.		For Sheet	Box
885-2140	HANDBLOCK	130 x 170 MM	1
885-2191	INTERFACE PAD	130 x 170 MM	1

Art. No.		For Sheet	Box
885-2190	HANDBLOCK	130 x 85 MM	1
885-2197	INTERFACE PAD	130 x 85 MM	1

 COMBINE THE SUPER ASSILEX HANDBLOCKS AND INTERFACE PADS (EXTRA HARD) TO FLATTEN THE SURFACE AND TO INCREASE AGGRESSIVENESS. USAGE WITHOUT INTERFACE PAD MAKES THE HANDBLOCK MORE FLEXIBLE.





WASTE COMPARISON

500

FOAM BACKED ABRASIVES

vs.

1

INTERFACE PAD



DISCOVER OUR
INTERFACE PADS - JUST
SCAN AND WATCH!



Your choice. Your process. Your environment.

Unlike foam backed abrasives, interface pads have an extremely long lifespan. So you don't have to constantly replace them. This not only saves you time and materials, but it also reduces waste and helps protect the planet. Did you know that 1 interface pad equals 500 foam backed abrasives?

In addition, interface pads offer multiple options in your sanding process. For example, you can choose a hard pad for more aggressiveness or a soft pad for more uniformity or to sand curves. This way you can personalize your sanding process!

BENEFITS

BETTER FOR THE ENVIRONMENT

DURABLE AND LAST FOR A LONG TIME


OFFER MORE OPTIONS IN TERMS OF AGGRESSIVENESS AND UNIFORMITY

MACHINE			MANUAL		
				BUFLEX DRY	
75 MM Art.No. 971-0068	78 x 123 MM Art.No. 971-0061	150 MM Art.No. 971-0065	78 x 123 MM Art.No. 971-0060		
				FLEXIBLE	SUPER ASSILEX
75 MM Art.No. 971-7503	75 x 120 MM Art.No. 971-0035	150 MM Art.No. 971-0091	75 x 120 MM Art.No. 971-0025 97 x 150 MM Art.No. 971-0026		
				HARD	
		150 MM Art.No. 971-0057	75 x 120 MM Art.No. 971-0094		

YELLOW FILM


YELLOW FILM SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
524-0800	P800		50	600
524-1000	P1000		50	600
524-1200	P1200		50	600
524-1500	P1500		50	600
524-2000	P2000		50	600




YELLOW FILM SUPER TACK DISCS 152 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
779-0800	P800		50	600
779-1000	P1000		50	600
779-1200	P1200		50	600
779-1500	P1500		50	600




YELLOW FILM SUPER TACK DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
778-0800	P800		50	600
778-1000	P1000		50	600
778-1200	P1200		50	600
778-1500	P1500		50	600



YELLOW FILM SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
555-0800	P800		50	600
555-1000	P1000		50	600
555-1200	P1200		50	600
555-1500	P1500		50	600



FOR MAXIMUM DURABILITY, USE LOW TO MEDIUM MACHINE SPEED. THIS PROVIDES A COOL SANDING PROCESS.

YELLOW FILM SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-0800	P800		50	1800
730-1500	P1500		50	1800
730-2000	P2000		50	1800

INCLUDING INTERFACE PAD **971-7502** (PAGE 67).



YELLOW FILM SUPER TACK DISCS 77 MM - MULTIHOLE

Art. No.	Grit	Application	Box	Carton
731-0800	P800		50	1800
731-1000	P1000		50	1800
731-1200	P1200		50	1800
731-1500	P1500		50	1800
731-2000	P2000		50	1800



YELLOW FILM STICK-ON DISCS 35 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
881-1500	P1500		100	2000
881-2000	P2000		100	2000

USE IN COMBINATION WITH INTERFACE TRANSFER PAD **910-3501-47** OR DOUBLE FINGER PAD **971-0023** FOR MANUAL USE.



DOUBLE FINGER PAD 31 MM

Art. No.	Box
971-0023	5

USE IN COMBINATION WITH YELLOW FILM STICK-ON DISCS. AND TOLECUT STICK-ON DISCS. (PAGE 39)



STICK-ON INTERFACE TRANSFER PAD 32 MM

Art. No.	Box
910-3501-47	1

FOR TOUCH-UP SANDER **910-3501** (PAGE 52), CHARGEMA-X TOUCH-UP SANDERS (PAGE 60) THE INTERFACE TRANSFER PAD TRANSFORMS SUPER TACK INTO STICK-ON.

SUITABLE FOR YELLOW FILM STICK-ON DISCS AND TOLECUT STICK-ON DISCS (PAGE 39).




TOLECUT

TOLECUT STICK-ON SHEETS 70 X 114 MM

Art. No.	Grit	Application	Box	Carton
191-1517	K800	✕	25	1000
191-1516	K1200	✕	25	1000
191-1513	K1500	✕	25	1000
191-1512	K2000	✕	25	1000
191-1519	K2500	✕	25	1000
191-1511	K3000	✕	25	1000

 K800 & K1200 IDEAL FOR REMOVING RUNNERS AND FLATTENING BIGGER SURFACES.

 USE IN COMBINATION WITH TOLECARD **971-0048** OR TOLEBLOCK QM **971-0059**.



TOLECARD 66 X 110 MM

Art. No.	Box
971-0048	10

 MAXIMUM FLEXIBILITY FOR CURVES AND EDGES.




TOLECUT STICK-ON SHEETS - 1/8 29 X 35 MM

Art. No.	Grit	Application	Box	Carton
191-1527	K800	✕	200	8000
191-1526	K1200	✕	200	8000
191-1523	K1500	✕	200	8000
191-1522	K2000	✕	200	8000
191-1528	K2500	✕	200	8000
191-1521	K3000	✕	200	8000

 USE K800 & K1200 TO REMOVE BIGGER IMPERFECTIONS.

 USE IN COMBINATION WITH TOLEBLOCK S **971-0047** OR TOLEBLOCK QS **971-0056**.



TOLECUT STICK-ON SHEETS - 1/4 70 X 29 MM

Art. No.	Grit	Application	Box	Carton
191-1547	K800	✕	100	4000
191-1546	K1200	✕	100	4000

 FOR THE REMOVAL OF RUNNERS AND BIGGER IMPERFECTIONS ON FLAT SURFACES.

 USE IN COMBINATION WITH TOLEBLOCK M **971-0055**.



TOLECUT: SCAN THE QR CODE FOR MORE INFORMATION



TOLEBLOCK S 26 X 32 MM

Art. No.	Box
971-0047	10



TOLEBLOCK M 68 X 27 MM

Art. No.	Box
971-0055	5



 FOR ERASING RUNNERS. USE IN COMBINATION WITH TOLE CUT 1/4.

TOLEBLOCK QS ROUND SMALL

Art. No.	Box
971-0056	6



 USE WITH TOLE CUT 1/8 FOR SANDING IN ROUND / CONCAVE AREAS.

TOLEBLOCK QM ROUND BIG


Art. No.	Box
971-0059	2



 USE WITH TOLE CUT SHEET 1/4 FOR SANDING IN ROUND / CONCAVE AREAS.

TOLE CUT STICK-ON DISCS 34 MM


Art. No.	Grit	Application	Box
 192-1516	K800	X	600
 192-1515	K1200	X	600
192-1513	K1500	X	600
192-1512	K2000	X	600
192-1514	K2500	X	600
192-1511	K3000	X	600



TOLEX SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
193-1563	K1500		25	1000

USE IN COMBINATION WITH MICRO VELCRO TOLEX INTERFACE PAD **971-0027**.



TOLEX SUPER TACK INTERFACE PAD 150 MM - 15 HOLES

Art. No.	Box
971-0027	MICRO VELCRO 2



TOLEX SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
195-1593	K1500		25	1000

USE IN COMBINATION WITH MICRO VELCRO INTERFACE PAD **971-0044** (PAGE 67).



TOLEX SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-1502	K1500		50	1800

INCLUDING INTERFACE PAD **971-7503** (PAGE 67).



TOLEX SUPER TACK SHEETS 130 X 170 MM

Art. No.	Grit	Application	Box	Carton
191-1533	K1500		25	500

WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM. USE WITH SUPER ASSILEX HAND PAD M **971-0025** OR SUPER ASSILEX HAND PAD L **971-0026** (PAGE 32). FOR AN EVEN FINER RESULT USE THE BUFLEX DRY HAND PAD **971-0060** (MANUAL USE) OR INTERFACE PAD **971-0061** (MACHINE USE) (PAGE 43).



REDUCE YOUR POLISHING TIME BY USING TOLEX K1500 BETWEEN YELLOW FILM AND BUFLEX DRY.

TOLEX STICK-ON

TOLEX STICK-ON DISCS 152 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
192-1503	K1500		25	1500

 FOR MORE AGGRESSIVENESS USE INTERFACE PAD HARD **971-0017**.
FOR MORE UNIFORMITY USE INTERFACE PAD SOFT **971-0014**.



TOLEX STICK-ON INTERFACE PAD - HARD 150 MM - WITHOUT HOLES

Art. No.	Box
971-0017	2



TOLEX / BUFLEX WET STICK-ON INTERFACE PAD - SOFT 150 MM - WITHOUT HOLES

Art. No.	Box
971-0014	2



FINISHING

TOLEX STICK-ON SHEETS 70 X 114 MM

Art. No.	Grit	Application	Box	Carton
191-1503	K1500		25	750

 USE IN COMBINATION WITH TOLEX STICK-ON HAND PAD **971-0016**.



TOLEX STICK-ON HAND PAD 62 X 111 MM

Art. No.	Box
971-0016	2




BUFLEX DRY

BUFLEX DRY SUPER TACK DISCS 152 MM - 15 HOLES

Art. No.	Grit	Application	Box	Carton
193-1565	K2000		25	1000
193-1562	K2500		25	1000
193-1564	K3000		25	1000

 ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0065**.



BUFLEX DRY SUPER TACK INTERFACE PAD 150 MM - 15 HOLES

Art. No.	Box
971-0065	FEMALE - FEMALE VELCRO 2




FINISHING

BUFLEX DRY SUPER TACK DISCS 125 MM - 7 HOLES

Art. No.	Grit	Application	Box	Carton
195-1535	K2000		25	1000
195-1534	K3000		25	1000

 ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0067**.



BUFLEX DRY SUPER TACK INTERFACE PAD 125 MM - 7 HOLES

Art. No.	Box
971-0067	FEMALE - FEMALE VELCRO 2




UTILIZE BUFLEX DRY EXCLUSIVELY IN COMBINATION WITH THE MATCHING, INNOVATIVE FEMALE-FEMALE VELCRO INTERFACE PADS FOR A PERFECT SANDING RESULT. THIS AVOIDS SANDING SCRATCHES CAUSED BY WRONG VELCRO AND LEAVES LESS SCRATCHES WHICH RESULTS IN SHORTER POLISHING TIME.

BUFLEX DRY SUPER TACK DISCS 75 MM - WITHOUT HOLES

Art. No.	Grit	Application	Box	Carton
730-1513	K2000		50	1800
730-1515	K2500		50	1800
730-1514	K3000		50	1800

 ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0068**.



BUFLEX DRY SUPER TACK INTERFACE PAD 75 MM - WITHOUT HOLES

Art. No.	Box
971-0068	4


FEMALE - FEMALE VELCRO



BUFLEX DRY SUPER TACK SHEETS 130 x 170 MM

Art. No.	Grit	Application	Box	Carton
191-1532	K2000		25	500
191-1534	K2500		25	500
191-1531	K3000		25	500

 WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM. USE IN COMBINATION WITH HAND PAD **971-0060** FOR MANUAL USE AND WITH INTERFACE PAD **971-0061** FOR MACHINE USE.



FINISHING

BUFLEX DRY SUPER TACK HAND PAD & INTERFACE PAD 78 x 123 MM

Art. No.	Box
971-0060	2

FOR MANUAL USE.

Art. No.	Box
971-0061	2

FOR MACHINE USE.



BUFLEX WET STICK-ON


BUFLEX WET STICK-ON DISCS 152 MM - WITHOUT HOLES



Art. No.	Grit	Application	Box	Carton
192-1502	K2000		25	1500
192-1501	K3000		25	1500



USE IN COMBINATION WITH TOLEX/BUFLEX WET INTERFACE PAD **971-0014**.



TOLEX / BUFLEX WET INTERFACE PAD - SOFT 150 MM - WITHOUT HOLES



Art. No.	Box
971-0014	2



BUFLEX WET STICK-ON SHEETS 70 X 114 MM



Art. No.	Grit	Application	Box	Carton
191-1502	K2000		25	750
191-1501	K3000		25	750



USE IN COMBINATION WITH BUFLEX STICK-ON PAD NH (HARD) **971-0013** OR PAD NS (SOFT) **971-0012**.



BUFLEX WET STICK-ON HAND PAD NH - HARD 110 X 70 X 50 MM



Art. No.	Box
971-0013	2



BUFLEX WET STICK-ON HAND PAD NS - SOFT 110 X 70 X 50 MM




Art. No.	Box
971-0012	2



ASSILEX STICK-ON & ACCESSORIES

ASSILEX STICK-ON SHEETS 85 X 130 MM

Art. No.	Grit	Application	Box	Carton
191-1505	K800	●	50	1000
191-1504	K1500	●	50	1000



ASSILEX STICK-ON HAND PAD AU - HARD 83 X 130 MM

Art. No.	Box
971-0020	2



ASSILEX STICK-ON HAND PAD AH - SOFT 83 X 130 MM

Art. No.	Box
971-0021	2



FINISHING

ASSILEX STICK-ON HAND PAD AS - SOFT 83 X 130 MM

Art. No.	Box
971-0022	6



BUFLEX SHINE PREMIUM POLISH COMPOUND 1 KG

Art. No.	Box	Carton
858-2100	1	6

 USE TO REMOVE SANDING MARKS FROM ALL MODERN PAINT SYSTEMS WHILE LEAVING A SWIRL-FREE, HIGH-GLOSS FINISH.

SANDING WITH BUFLEX DRY FOR AT LEAST 10 SECONDS BEFORE POLISHING SIGNIFICANTLY REDUCES YOUR POLISHING TIME.

 USE IN COMBINATION WITH THE ORANGE POLISHING PAD **858-7410**, **858-7420**, **858-7450** OR **858-7430**.

CUTTING & GLOSS



BUFLEX SHINE ULTRAFINE PERFORMING POLISH 1 L

Art. No.	Box	Carton
858-2200	1	6

 PERFECT FOR DARK PAINT COLORS FOR A HIGH GLOSS FINISH, WITHOUT SWIRL MARKS OR HOLOGRAMS

 USE IN COMBINATION WITH THE BLACK POLISHING PAD **858-7510**, **858-7520**, **858-7550** OR **858-7530**.

SUPERIOR FINISH & ANTI-HOLOGRAM



FINISHING

BUFLEX SHINE ULTIMATE SHINE AND PROTECT 500 ML

Art. No.	Box	Carton
858-2300	1	6

 LIQUID WAX FOR ADDING DEPTH TO THE COLOR AND PROTECTION TO THE PAINT. LEAVES THE SURFACE WITH AN EXTREMELY SMOOTH FINISH.

 USE IN COMBINATION WITH THE BLACK POLISHING PAD **858-7210**, **858-7215**, **858-7220** OR **858-7310**.

GLOSS ENHANCE & PAINT PROTECTION



DEFENDER CLEANER 500 ML

Art. No.	Box	Carton
858-8100	1	6

 USE BETWEEN POLISHING STEPS TO DEGREASE THE SURFACE. CAN ALSO BE USED TO CHECK FOR HOLOGRAMS AFTER POLISHING.



- TIME SAVING
- SCRATCH MARKS AND HOLOGRAMS WILL NOT REAPPEAR
- EXCEPTIONAL GLOSS FINISH

THE PERFECT SHINE IN NO TIME




BUFLUX SHINE POLISH PAD - MEDIUM-HARD 150 MM, 125 MM, 125 MM & 75 MM

Art. No.	Velcro size	Pad size	Hole	Box
858-7410	150 MM	170 MM	X	2
858-7420	125 MM	145 MM	X	2
858-7450	125 MM	145 MM	✓	2
858-7430	75 MM	95 MM	X	4

💡 HARDER PAD FOR IMPROVED CUTTING POWER.

🔧 USE IN COMBINATION WITH BUFLUX SHINE PREMIUM POLISH COMPOUND **858-2100**.



BUFLUX SHINE POLISH PAD - FINE 150 MM, 125 MM & 75 MM

Art. No.	Velcro size	Pad size	Hole	Box
858-7510	150 MM	170 MM	X	2
858-7520	125 MM	145 MM	X	2
858-7550	125 MM	145 MM	✓	2
858-7530	75 MM	95 MM	X	4

💡 SOFTER PAD TO ACHIEVE MORE GLOSS.

🔧 USE IN COMBINATION WITH BUFLUX SHINE ULTRAFINE PERFORMING POLISH **858-2200**.



BUFLUX SHINE POLISH PAD - ULTRAFINE 150 MM, 125 MM, 75 MM & 90 MM

Art. No.	Velcro size	Pad size	Usage	Box
858-7210	150 MM	160 MM	Machine	2
858-7215	125 MM	150 MM	Machine	2
858-7220	75 MM	80 MM	Machine	4
858-7310	-	90 MM	Manual	1

💡 MANUAL PAD TO WORK MORE PRECISELY.

🔧 USE IN COMBINATION WITH BUFLUX SHINE ULTIMATE SHINE & PROTECT **858-2300**.



NEW

PREMIUM WOOL PAD 160 MM

Art. No.	Box
858-6733	2

100% AUSTRALIAN LAMB'S WOOL. FEATURES A UNIQUE PLASTIC RING FOR FULL CONTROL AND REDUCED VIBRATION. DUE TO THE HIGH CUTTING POWER, IDEAL FOR REMOVING DEEP SCRATCHES WHILE MAINTAINING A HIGH GLOSS. ONLY USE IN COMBINATION WITH BUFLUX SHINE PREMIUM POLISH COMPOUND **858-2100**.

POLISH MATERIAL

RUBBING COMPOUND - ULTRA MORDENTE 4 L

Art. No.

852-4009



VERY AGGRESSIVE. IDEAL FOR THE MARINE INDUSTRY.



WOOL COMPOUNDING PADS 150 MM & 80 MM

Art. No.

Box

858-6798

150 MM

1

858-6797

80 MM

1



100% NATURAL LAMBS WOOL. USE THE WOOL COMPOUNDING PADS WHEN MORE AGGRESSIVENESS IS REQUIRED. ONLY USE IN COMBINATION WITH BUFLEX SHINE PREMIUM POLISH COMPOUND **858-2100** (PAGE 46).



FINISHING

WOOL COMPOUNDING PADS & FOAM PAD - HARD & SOFT 80 MM

Art. No.

Box

Carton

M00-4047

Wool - Hard

1

20

M00-4048

Wool - Soft

1

10

M00-4045

Foam - Soft

1

10



CLEANING CLAY BLUE 200 GR

Art. No.

Box

858-8310

1




USE WITH DEGREASER LUBRICANT. USE PRIOR TO POLISHING TO MAKE YOUR POLISH WORK MORE EFFECTIVELY AND TO PREVENT SCRATCHES. IT ALSO PREVENTS YOUR POLISHING PAD FROM GETTING DIRTY.

IMPROVED



NEW

PREMIUM WOOL PAD



FINISHING

CAR CARE

NANO ARMOR 5 YRS KIT

Art. No.		Box
832-1200	Nano Armor 5 yrs Kit	1
832-1130	Base Coat 20 ml	1
832-1120	Blue Nano 20 ml	1
832-1110	Red Nano 20 ml	1
823-1310	Nano Booster 100 ml	1
851-4163	Microfiber Cloth Orange	1
832-1280	Applicator Nano	1
832-1290	Rag Nano	1



 PROVIDES UP TO 5 YEARS OF PROTECTION AGAINST DRY PARTICLES, WATER, OIL AND DIRT. IT ALSO CAN BE USED FOR TREATMENTS ON VINTAGE CARS.

 BEFORE USE, MAKE SURE THE SURFACE IS WELL DEGREASED. USE IN COMBINATION WITH PREPARATION KIT **823-1800**.

NANO ARMOR 2 YRS KIT

Art. No.		Box
832-1100	Nano Armor 2 yrs Kit	1
832-1120	Blue Nano 20 ml	1
832-1110	Red Nano 20 ml	1
832-1280	Applicator Nano	1
832-1290	Rag Nano	1



 PROVIDES UP TO 2 YEARS OF PROTECTION AGAINST DRY PARTICLES, WATER, OIL AND DIRT. IT ALSO CAN BE USED FOR TREATMENTS ON VINTAGE CARS.

 BEFORE USE, MAKE SURE THE SURFACE IS WELL DEGREASED. USE IN COMBINATION WITH PREPARATION KIT **823-1800**.

NANO ARMOR 6 MTH KIT

Art. No.		Box
823-1300	Nano Armor 6 mth Kit	1
823-1310	Nano Booster 100 ml	1
851-4163	Microfiber Cloth Orange	1

 CAN BE USED AS A TEMPORARY NANOMETRIC TREATMENT, LASTING 6 MONTHS, OR FOR MAINTENANCE AND RENEWAL OF THE COATING. PROTECTS AGAINST DRY PARTICLES, WATER, OIL AND DIRT. IT ALSO CAN BE USED FOR TREATMENTS ON VINTAGE CARS.

 BEFORE USE, MAKE SURE THE SURFACE IS WELL DEGREASED. USE IN COMBINATION WITH PREPARATION KIT **823-1800**.



CAR CARE PREPARATION KIT

Art. No.		Box
823-1800	Preparation Kit	1
823-1820	Preparation Spray 200 ml	1
823-1810	Cleaning Spray 200 ml	1
851-4163	Microfiber Cloth Orange	1

 USE AS PRE-TREATMENT FOR APPLYING NANO COATING

 USE IN COMBINATION WITH NANO ARMOR 5 YRS KIT **832-1200**, NANO ARMOR 2 YRS KIT **832-1100** OR NANO ARMOR KIT 6 MTH **823-1300**



FOG FREE KIT

Art. No.		Box
823-1600	Fog Free Kit	1
823-1610	Fog Free 100 ml	1
851-4163	Microfiber Cloth Orange	1
858-8230	Hitex Cloth	3



 PREVENTS FOGGING ON THE INSIDE OF WINDSHIELDS AND MIRRORS

 BEFORE USE, MAKE SURE THE SURFACE IS THOROUGHLY CLEAN. USE IN COMBINATION WITH PREPARATION SPRAY **823-1820**.

CARE CARE: SCAN THE QR CODE FOR MORE INFORMATION



TOOLS

ORBITAL SANDER 125 MM

Art. No.	Box	Carton
910-0104D	1	6

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 340 L/MIN. WEIGHT: 0,75 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 5 MM.



MINI ORBITAL SANDER KD-501 72 MM

Art. No.	Box	Carton
910-7501	1	20

MAX. ROTATION: 13.000 RPM. AIR CONSUMPTION: 275 L/MIN. WEIGHT: 0,62 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **M750-148** (PAGE 65).



TOUCH-UP SANDER 31 MM

Art. No.	Box	Carton
910-3501	1	20

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 140 L/MIN. WEIGHT: 0,475 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING PAD **910-3501-46** AND STICK-ON
INTERFACE TRANSFER PAD **910-3501-47** (PAGE 37).



TOUCH-UP SUPER TACK PAD 31 MM

Art. No.	Box
910-3501-46	1

FOR TOUCH-UP SANDER **910-3501**. USE IN COMBINATION WITH STICK-ON
INTERFACE TRANSFER PAD **910-3501-47** (PAGE 37).



ASSILEX / BUFLEX SANDER KO-202 70 X 115 MM

Art. No.	Box	Carton
910-0202	1	6

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 340 L/MIN. WEIGHT: 0,74 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **910-0202-36**.



POLISHER KP-302 123 MM

Art. No.	Box	Carton
910-0302	1	6

MAX. ROTATION: 3.000 RPM. AIR CONSUMPTION: 450 L/MIN. WEIGHT: 1,20 KG.
AIR PRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD **972-3201**.



POLISHER KP-301 72 MM

Art. No.	Box	Carton
910-0301	1	10

MAX. ROTATION: 2.500 RPM. AIR CONSUMPTION: 350 L/MIN. WEIGHT: 0,70 KG.
AIR PRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD **M00-4043** (PAGE 65) AND WOOL
COMPOUNDING PAD **M00-4047** (PAGE 48).



POLISHER 450 PL 72 MM

Art. No.	Box	Carton
M00-4000	1	10

MAX. ROTATION: 5.000 RPM. AIR CONSUMPTION: 350 L/MIN. WEIGHT: 0,90 KG.
AIR PRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD **M00-4043** (PAGE 65), WOOL
COMPOUNDING PAD **M00-4047** AND FOAM PAD **M00-4045** (PAGE 48).



WARRANTY? SCAN THE
QR-CODE AND CHECK IT
ON OUR WEBSITE.



**PROMA-X AIR 150 V2
PNEUMATIC RANDOM ORBITAL SANDER - 150 MM**

Art. No.	Box
910-0620	1

MAX. ROTATION: 12.000 RPM. AIR CONSUMPTION: 380 L/MIN. WEIGHT: 0,97 KG.
AIR PRESSURE: 6,2 BAR. ORBIT: 5 MM. INCLUDING BACK-UP PAD **973-0001** (PAGE 63).



**PROMA-X AIR SHEET SANDER
PNEUMATIC ORBITAL SANDER - 70 X 198 MM**

Art. No.	Box
910-0650	1

AIR CONSUMPTION: 350 L/MIN. AIR PRESURE: 5-6 BAR. ORBIT: 5 MM.
WEIGHT: 1.10 KG. INCLUDING BACK-UP PAD: **910-0650-1** (PAGE 66).



**PROMA-X AIR ASSILEX / BUFLEX SANDER
PNEUMATIC ORBITAL SANDER - 70 X 108 MM**

Art. No.	Box
910-0660	1

AIR CONSUMPTION: 350 L/MIN. AIR PRESURE: 5-6 BAR ORBIT: 3 MM.
WEIGHT: 0.65 KG. INCLUDING BACK-UP PAD: **910-0660-1** (PAGE 66) + INTERFACE
PAD: **971-0035** (PAGE 32) & **971-0061** (PAGE 43).



**PROMA-X AIR 75
PNEUMATIC RANDOM ORBITAL SANDER - 75 MM**

Art. No.	Box
910-0680	1

AIR CONSUMPTION: 350 L/MIN. ORBIT: 2,5 MM. AIR PRESSURE: 6 BAR. WEIGHT: 0,5 KG.
INCLUDING BACK-UP PAD **910-0680-1** (PAGE 66).



**PROMA-X AIR 75D - WITH DUST EXTRACTION
PNEUMATIC RANDOM ORBITAL SANDER - 75 MM**

Art. No.	Box
910-0685	1

AIR CONSUMPTION: 350 L/MIN. ORBIT: 2,5 MM. AIR PRESSURE: 6 BAR.
WEIGHT: 0,6 KG. INCLUDING BACK-UP PAD **910-0685-1** (PAGE 66).



**PROMA-X ELECTRIC POLISHER
ELECTRIC ROTARY POLISHER**

Art. No.	Box
910-0670	1

ROTATIONS: 750 - 2500 RPM, 6 SPEEDS. VOLTAGE: 220 - 240 V. POWER: 1050 W.
WEIGHT: 2,2 KG. INCLUDING BACK-UP PAD. **973-0040** (PAGE 64).



PROMA-X DUST EXTRACTOR PLUS

KEEP YOUR WORKPLACE CLEAN WITH THE PROMA-X DUST EXTRACTOR PLUS. CHOOSE THE COMBINATION THAT BEST SUITS TO YOUR NEEDS, THANKS TO THE TWO OPTIONAL UPGRADES.

PROMA-X DUST EXTRACTOR PLUS L-CLASS

THE L-CLASS CAN VACUUM DUST OF **1 MG/M³**. THE PROMA-X DUST EXTRACTOR PLUS SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE **910-0860**. BOTH A FLEECE AND PE DUST BAG ARE INCLUDED.



+



Art. No. 910-8460

L-CLASS DUST EXTRACTOR PLUS

ANTISTATIC DUST HOSE

UPGRADE TO PNEUMATIC ANTISTATIC DUST HOSE

+ HOSE-IN-HOSE SYSTEM
+ THIS HOSE-IN-HOSE SYSTEM ENABLES
PNEUMATIC SANDING.



Art. No. 910-8450

L-CLASS DUST EXTRACTOR PLUS

PNEUMATIC ANTISTATIC DUST HOSE

UPGRADE TO M-CLASS

UPGRADE TO M-CLASS FOR EVEN LESS DUST EXPOSURE AND A HEALTHIER WORK ENVIRONMENT

PROMA-X DUST EXTRACTOR PLUS M-CLASS

THE M-CLASS CAN VACUUM DUST OF **0,1 MG/M³**. THE PROMA-X DUST EXTRACTOR PLUS SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE **910-0860**. BOTH A FLEECE AND PE DUST BAG ARE INCLUDED.



+



Art. No. 910-8360

M-CLASS DUST EXTRACTOR PLUS

ANTISTATIC DUST HOSE

UPGRADE TO PNEUMATIC ANTISTATIC DUST HOSE

+ HOSE-IN-HOSE SYSTEM
+ THIS HOSE-IN-HOSE SYSTEM ENABLES
PNEUMATIC SANDING.



Art. No. 910-8350

M-CLASS DUST EXTRACTOR PLUS

PNEUMATIC ANTISTATIC DUST HOSE

- HIGH-PERFORMANCE TURBINE
- AUTOMATIC FILTER CLEANING
- PERMANENT AIRFLOW
- ANTISTATIC HOSE
- DUST-FREE DISPOSAL

FOR A CLEAN & HEALTHY WORK ENVIRONMENT.

**PROMA-X DUST EXTRACTOR PLUS
PNEUMATIC ANTISTATIC DUST HOSE - 6 M**

Art. No.	Box
910-0850	1

THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



**PROMA-X DUST EXTRACTOR PLUS
ANTISTATIC DUST HOSE - 5 M**


Art. No.	Box
910-0860	1



**PROMA-X DUST EXTRACTOR PLUS
DUST FLEECE BAG PLUS (5 PACK)**

Art. No.	Box
910-0823	5

THE DUST BAGS HAVE A CAPACITY OF 25L.



**PROMA-X DUST EXTRACTOR PLUS
DUST POLY BAG PLUS (5 PACK)**

Art. No.	Box
910-0824	5

THE DUST BAGS HAVE A CAPACITY OF 25L.



**PROMA-X DUST EXTRACTOR PLUS
FILTERS M & L CLASS SET 2 PIECES**

Art. No.	Box
910-0821	2



**PROMA-X DUST EXTRACTOR PLUS
2 WAY UNION PLUS**

Art. No.	Box
910-0822	1



**PROMA-X DUST EXTRACTOR PLUS
PUSH HANDLE PLUS**

Art. No.	Box
910-0825	1

PUSH HANDLE WITH OPTIMAL HEIGHT MAKING THE PROMA-X DUST EXTRACTOR PLUS EASY TO MANEUVER. THANKS TO THE POWDER-COATED LAYER THERE IS NO ELECTRICAL CHARGE.



TOOLS & OTHER

EMA-X

EMA-X 150/6 ELECTRIC RANDOM ORBITAL SANDER - 150 MM

Art. No.	Box
9100-900	1

MAX. ROTATION: 10.000 RPM. WEIGHT: 1,2 KG. ORBIT: 6 MM. INCLUDING BACK-UP PAD **973-0009** (PAGE 63).



EMA-X 125/15 ELECTRICAL RANDOM ORBITAL POLISHER - 125 MM

Art. No.	Box
910-0710	1

MAX. ROTATION: 4.500 RPM. VOLTAGE: 220 - 240 V. POWER: 500 W. ORBIT: 15 MM. WEIGHT: 2,6 KG. INCLUDING BACK-UP PAD **973-0020** (PAGE 65).



EMA-X HOSE CLIP

Art. No.	Box
910-0905	1



CHARGEMA-X

CHARGEMA-X 150 CORDLESS ROTARY POLISHER - 150 MM

Art. No.	Box
910-0740	1

MAX. ROTATION: 5.000 RPM. VOLTAGE: 18 V. WEIGHT: 1,9 KG. INCLUDING BACK-UP PAD **973-0040** (PAGE 64). BATTERY NOT INCLUDED.



CHARGEMA-X 125/15 CORDLESS RANDOM ORBITAL POLISHER - 125 MM

Art. No.	Box
910-0720	1

MAX. ROTATION: 5.000 RPM. VOLTAGE: 18 V. ORBIT: 15 MM. WEIGHT: 1,9 KG. INCLUDING BACK-UP PAD **973-0020** (PAGE 65). BATTERY NOT INCLUDED.



CHARGEMA-X 75 CORDLESS ROTARY POLISHER - 75 MM

Art. No.	Box
910-0730	1

MAX. ROTATION: 1.800 RPM. VOLTAGE: 18 V. WEIGHT: 1,6 KG. INCLUDING BACK-UP PAD **973-0030** (PAGE 66). BATTERY NOT INCLUDED.



CHARGEMA-X BATTERY CHARGER - 18 V

Art. No.	Box
912-0010	1



CHARGEMA-X BATTERY PACK - 18 V

Art. No.		Box
912-0025	2,5 Ah	1
912-0050	5,0 Ah	1



CONVENIENT LED INDICATORS SHOW REMAINING BATTERY CAPACITY.

NEW

CHARGEMA-X TOUCH-UP SANDERS

CHARGEMA-X 31/3RO CORDLESS RANDOM ORBITAL TOUCH-UP SANDER - 31 MM

Art. No.	Box
910-0780	1

MAX. ROTATION: 10.000 RPM, VOLTAGE: 10.8 V, ORBIT: 3MM, WEIGHT: 495 G INCLUDING BACK-UP PADS **910-0791-1**, **910-0791-2** (PAGE 66) AND STICK-ON INTERFACE TRANSFER PAD **910-3501-47**. BATTERY NOT INCLUDED.

 CONVENIENT LED INDICATOR SHOWS REMAINING BATTERY CAPACITY.



CHARGEMA-X 31/30 CORDLESS ORBITAL TOUCH-UP SANDER - 31 MM

Art. No.	Box
910-0790	1

MAX. ROTATION: 10.000 RPM, VOLTAGE: 10.8 V, ORBIT: 3MM, WEIGHT: 475 G INCLUDING BACK-UP PADS **910-0791-1**, **910-0791-2** (PAGE 66) AND STICK-ON INTERFACE TRANSFER PAD **910-3501-47**. BATTERY NOT INCLUDED.

 CONVENIENT LED INDICATOR SHOWS REMAINING BATTERY CAPACITY.



CHARGEMA-X BATTERY PACK 2,5 AH - 10.8 V

Art. No.	Box
912-0060	2,5 Ah - 10.8 V

HIGH CAPACITY FOR LONG-TERM USE. FAST CHARGING TIME.



CHARGEMA-X BATTERY CHARGER - 10.8 V

Art. No.	Box
912-0020	10.8 V



STICK-ON INTERFACE TRANSFER PAD 32 MM

Art. No.	Box
910-3501-47	1

THE INTERFACE TRANSFER PAD TRANSFORMS SUPER TACK INTO STICK-ON.



TOOLS & OTHER

NEW

CHARGEMA-X TOUCH-UP SANDERS



TOOLS & OTHER

CHARGEMA-X 31/3RO KIT

Art. No.	Box
999-8820	1



CHARGEMA-X 31/30 KIT

Art. No.	Box
999-8821	1



BACK-UP PADS & ADAPTERS

PROMA-X FUSION BACK-UP PAD - MEDIUM 150 MM - MULTIHOLE

Art. No.	Thread Size	Box
973-0003	5/16" + M8	1

THIS MULTIHOLE BACK-UP PAD IS SUITABLE FOR FESTOOL MACHINES AND CAN BE EXTENDED FOR RUPES WITH ADAPTERS.



PROMA-X FUSION PAD ADAPTER FOR RUPES SKORPIO PNEUMATIC

Art. No.	Thread Size	Box
973-0004	M8	1

WITH THIS ADAPTER, THE PROMA-X FUSION BACK-UP PAD **973-0003** CAN BE USED ON RUPES SKORPIO PNEUMATIC MACHINES.



PROMA-X FUSION PAD ADAPTER FOR EMA-X 150/6 ELECTRIC RANDOM ORBITAL SANDER

Art. No.	Thread Size	Box
973-0005	5/16"	1

WITH THIS ADAPTER, THE PROMA-X FUSION BACK-UP PAD **973-0003** CAN BE USED ON THE EMA-X 150/6 ELECTRIC RANDOM ORBITAL SANDER.



**EMA-X 150/6 BACK-UP PAD - HARD
150 MM - MULTIHOLE**

Art. No.	Thread Size	Box
973-0009	5/16"	1



**PROMA-X BACK-UP PAD INCL. 15 HOLES PATTERN - MEDIUM
150 MM - MULTIHOLE**

Art. No.	Thread Size	Box
973-0001	5/16"	1



**PROMA-X AIR 150 BACK-UP PAD - MEDIUM
150 MM - 15 HOLES**

Art. No.	Thread Size	Box
885-0159	5/16"	1



**BACK-UP PAD - MEDIUM
150 MM - 7 HOLES**

Art. No.	Thread Size	Box
M00-1038	5/16"	1



**ROTARY POLISHING BACK-UP PAD - MEDIUM
150 MM**

Art. No.	Thread Size	Box
973-0040	M14	1



**ROTARY POLISHING BACK-UP PAD - HARD
150 MM**

Art. No.	Thread Size	Box
973-0041	M14-2	1



**BACK-UP PAD - MEDIUM
125 MM - 7 HOLES**

Art. No.	Thread Size	Box
972-0003	5/16"	1



**ORBITAL POLISHING BACK-UP PAD
125 MM**

Art. No.	Thread Size	Box
973-0020	M8	1



**ROTARY POLISHING BACK-UP PAD - HARD
125 MM**

Art. No.	Thread Size	Box
973-0042	M14-2	1



**ROTARY POLISHING BACK-UP PAD
75 MM**

Art. No.	Thread Size	Box
M00-4043	5/16"	1



**BACK-UP PAD
75 MM**

Art. No.	Thread Size	Box
M750-148	M6	1



ROTARY POLISHING BACK-UP PAD
75 MM

Art. No.	Thread Size	Box
973-0030	M6	1



PROMA-X AIR 75 BACK-UP PAD
75 MM

Art. No.	Box
9100680-1	1



PROMA-X AIR 75D BACK-UP PAD
75 MM - 6 HOLES

Art. No.	Box
9100685-1	1



CHARGEMA-X BACK-UP PADS
31MM


Art. No.		Box
910-0791-1	Stick-on back-up pad	1
910-0791-2	Velcro back-up pad	1



NEW

PROMA-X AIR SHEET SANDER BACK-UP PAD
70 X 198 MM - MULTIHOLE

Art. No.	Box
910-0650-1	1



PROMA-X AIR ASSILEX / BUFLEX SANDER BACK-UP PAD
70 X 108 MM

Art. No.	Box
910-0660-1	1



INTERFACE PADS


INTERFACE PAD - **SOFT** **150 MM - MULTIHOLE**

Art. No.	Box
973-0002	1



INTERFACE PAD - **SOFT** **150 MM - 15 HOLES**

Art. No.	Box
M00-4633	1



INTERFACE PAD - **SOFT** **125 MM - 7 HOLES**

Art. No.		Box
971-0044	MICRO VELCRO	2



INTERFACE PAD - **SOFT** **75 MM - 6 HOLES**

Art. No.	Box
973-0006	1



INTERFACE PAD - **SOFT** **75 MM**

Art. No.	Box
971-7502	4

 USE IN COMBINATION WITH BACK-UP PAD **M750-148** (PAGE 65).

INTERFACE PAD - **SOFT** **75 MM**

Art. No.		Box
971-7503	MICRO VELCRO	4



ACCESSORIES

SPY SPRAY 400 ML

Art. No.		Box
852-5500	Black	1
852-5510	White	1

 USE WHEN SANDING PUTTY AND PRIMER.



DRY GUIDE COAT 100 G

Art. No.		Box
886-2001	Black	1
886-2002	Orange	1

INCL. APPLICATOR

 USE WHEN SANDING PUTTY AND PRIMER.



MICRO BRUSHES

Art. No.	Box
886-1050	100



MICROFIBER CLOTH ORANGE

Art. No.	Box
851-4163	1



MICROFIBER CLOTH BLACK

Art. No.	Box
851-4165	1



NEW



ACCESSORIES

PREMIUM MASKING TAPE

Art. No.	Dimension	Box
900-5018	18 MM X 50 M	48
900-5024	24 MM X 50 M	36
900-5036	36 MM X 50 M	24
900-5048	48 MM X 50 M	24

COMPATIBLE FOR NEARLY ALL COMMON WATERBASED AS WELL AS SOLVENT-BASED PAINTS. EXCELLENT PROPERTIES FOR ROUND SHAPED SURFACES. GOOD TAPE-ON-TAPE ADHESION. EASY REMOVAL. LEAVES NO RESIDUES (WHEN REMOVED ON TIME WHEN PAINT IS DRY). HEAT RESISTANT: 80°C FOR 30 MINUTES.



NEW

MASKING TAPE

Art. No.	Dimension	Box
900-6018	18 MM X 50 M	48
900-6024	24 MM X 50 M	36
900-6036	36 MM X 50 M	24
900-6048	48 MM X 50 M	18



TOOLS & OTHER

TRIM MASKING TAPE 50 MM X 10 M

Art. No.		Box
900-1050	Non-perforated	1
900-1051	Perforated	1

SAVES LABOUR TIME AND COSTS OF REPLACING MOLDINGS. CAN BE USED FOR MASKING FIXED RUBBERS, SUCH AS WINDOW RUBBERS AND RUBBERS AROUND FRONT - AND TAILLIGHTS. EASY TO REMOVE WITHOUT LEAVING ADHESIVE RESIDUE (WHEN REMOVED ON TIME WHEN PAINT IS DRY). HEAT RESISTANT: 120°C FOR 30 MINUTES.



NEW

PREMIUM PROTECTION TAPE 50 MM X 50 M

Art. No.	Box
910-5050	1

A STRONG, WATERPROOF, TAPE THAT CAN BE TORN IN BOTH DIRECTIONS, GIVING THE USER MORE FLEXIBILITY. SPECIALLY DEVELOPED TO PROTECT AUTOMOTIVE SURFACES DURING GRINDING AND SANDING. OFFERS SOLID ADHESION WITHOUT RESIDUE UPON REMOVAL. HEAT RESISTANT: 80°C FOR 60 MINUTES.



SOFTTAPE MASKING FOAM 13 MM X 50 M

Art. No.	Box
900-1350	1

SELF ADHESIVE FOAM TAPE FOR FAST AND EASY MASKING COMMON BODYWORK GAPS PRIOR TO PAINTING. SEALS GAPS AND ELIMINATES UNNECESSARY REWORK TIME DUE TO UNWANTED HARD PAINT EDGES. EASY TO REMOVE WITHOUT LEAVING ADHESIVE RESIDUE (WHEN REMOVED ON TIME WHEN PAINT IS DRY). HEAT RESISTANT: 95°C FOR 60 MINUTES.



FLEXI NO EDGE BLENDING TAPE 15 MM X 25 M

Art. No.	Box
900-1525	1

FLEXIBLE FOAM TAPE DESIGNED TO MASK CURVED STYLE LINES & PANEL EDGES. ELIMINATES UNNECESSARY REWORK. HEAT RESISTANT: UP TO 95°C FOR 60 MINUTES.



NEW

PREMIUM SPRAY SUIT

Art. No.	Size	Box	Carton
888-0010	S (42/44)	1	15
888-0020	M (46/48)	1	15
888-0030	L (50/52)	1	15
888-0040	XL (54/56)	1	15
888-0050	2XL (58/60)	1	15

ADJUSTABLE WAIST FOR PERFECT FIT. ELASTIC HOOD AND WRIST CUFFS. WASHABLE. 2-WAY ZIPPER. VENTILATION. ANTISTATIC PROPERTIES.



TOOLS & OTHER

SYSTEM ORGANIZER BAG 45 CM X 20 CM X 30 CM

Art. No.	Box
999-9904	1

A PROFESSIONAL'S CHOICE WITH COMPARTMENTALIZED STORAGE FOR EASY ORGANIZATION AND QUICK ACCESS FOR DETAILERS AND PAINTERS.



NEW

HANDBLOCKS

ERGONOMIC HANDBLOCK WITH 4 ADAPTORS 70 X 198 MM - MULTIHOLE

Art. No.	Box
887-0250	1



ERGONOMIC HANDBLOCK 70 X 402 MM - MULTIHOLE

Art. No.	Box
887-0235	1



ERGONOMIC HANDBLOCK 115 X 225 MM - MULTIHOLE

Art. No.	Box
887-0245	1



ERGONOMIC HANDBLOCK 70 X 198 MM - MULTIHOLE

Art. No.	Box
887-0215	1



ERGONOMIC HANDBLOCK 70 X 125 MM - MULTIHOLE

Art. No.	Box
887-0225	1



HANDBLOCKS FOR DISCS 152 MM

Art. No.		Box
885-0220	PLANE	1
885-0223	ROUND	1



HANDBLOCK SET FOR DISCS 152 MM

Art. No.		Box
885-0224		1



SPECIFICATIONS

KOVAX QUALITY MEETS
PROFESSIONAL TOOLS

64 X 46 X 150 CM

EQUIPPED WITH A LOCK

PORTABLE BOXES
TO EASILY MOVE BETWEEN
WORKSPACES

PRO-MATE WORKSTATION



WANT TO KNOW ALL
SPECS? SCAN AND
DOWNLOAD THE
PRO-MATE LEAFLET.



SCAN AND WATCH
THE PRO-MATE IN
ACTION ON OUR
YOUTUBE CHANNEL.



CREATE YOUR OWN PERFECT WORKSPACE.

THE **PRO-MATE WORKSTATION** CONTAINS THE FOLLOWING ACCESSORIES:



LOW PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO THE 75 MM HIGH DRAWERS AND IS ABLE TO HOLD SIX 170 X 190 X 41 MM PACKAGES.

One included



HIGH PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO THE 154 MM HIGH DRAWERS AND IS ABLE TO HOLD UP TO SIX 170 X 180 X 110 MM PACKAGES.

One included



BOTTLE HOLDER

STORE YOUR POLISH BOTTLES (IN THE TWO Ø 90 MM HOLES) AND SPY SPRAY CAN (IN THE Ø 75 MM HOLE).

One included



PEGBOARD HOOK

EASILY HANG UP YOUR DISCS & INTERFACE PADS ON THIS 100 MM HOOK.

Six included



MACHINE HOLDER

SUITABLE FOR ALL KOVAX MACHINES (EXCEPT 31 MM).

One included

PRO-MATE WORKSTATION

Art. No.	Box
920-0001	1

PRO-MATE ACCESSORIES


Art. No.		Box
920-0022	HIGH PORTABLE BOX	1
920-0021	LOW PORTABLE BOX	1
920-0023	BOTTLE HOLDER	1
920-0020	MACHINE HOLDER	1
920-0024	PEGBOARD HOOKS	6
920-0025	FOAM-X BOX	1



ALSO AVAILABLE
BUT NOT INCLUDED IN THE STANDARD PRO-MATE

FOAM-X BOX

THIS BOX CAN EASILY BE FITTED TO BOTH SIDES OF THE PRO-MATE. THE FOAM-X BOX IS DESIGNED TO HOLD ONE FOAM-X ROLL.



TOLEKIT

THIS KIT CONTAINS THE FOLLOWING INNOVATIVE PRODUCTS FOR **DRY IMPERFECTION REMOVAL**.



TOLEKIT

Art. No.	Description	QTY.
999-8816	TOLEKIT	
971-0048	TOLECARD	2
971-0059	TOLEBLOCK QM - ROUND BIG	1
971-0056	TOLEBLOCK QS - ROUND SMALL	1
971-0055	TOLEBLOCK M	1
971-0047	TOLEBLOCK S	2
191-1513	TOLE CUT STICK-ON SHEETS - K1500	5
191-1512	TOLE CUT STICK-ON SHEETS - K2000	5
191-1519	TOLE CUT STICK-ON SHEETS - K2500	5
191-1511	TOLE CUT STICK-ON SHEETS - K3000	5
191-1547	TOLE CUT STICK-ON SHEETS 1/4 - K800	20
191-1546	TOLE CUT STICK-ON SHEETS 1/4 - K1200	20
191-1523	TOLE CUT STICK-ON SHEETS 1/8 - K1500	80
191-1522	TOLE CUT STICK-ON SHEETS 1/8 - K2000	80
191-1528	TOLE CUT STICK-ON SHEETS 1/8 - K2500	80
191-1521	TOLE CUT STICK-ON SHEETS 1/8 - K3000	80

INCLUDING MANUAL.

PRO-XPOSE SHOWCASE

Art. No.

921-0000

ESPECIALLY DESIGNED FOR TRAINING-/TEST CENTRES AND SHOPS.





 Instagram



 Facebook



 YouTube



 LinkedIn



 TikTok

Kovax Europe B.V.
Bedrijvenpark Twente 49
7602 KC Almelo
The Netherlands

info@kovax.eu
www.kovax.eu
Tel: 0031 (0)53 - 434 31 31